

**Test Report** No.: QDTYR150200063TS Page 1 of 8 Date: MAR 3, 2015

TIEN CHYI INDUSTRIAL COMPANY LTD.

NO.2, ALLEY 16, LANE 106, GUEISING RD., BANQIAO DIST., NEW TAIPEI CITY TAIWAN 22060

The following samples were submitted and identified by/on behalf of the client as: **TEDDY BEAR** 

Sample Quantity : 2 STYLES x 3 PCS SGS Ref. No. TAOTY1500498701

Style / Item No. : AX582 P.O. No. : N/A

Importer : DOHA MARKETING SERVICES COMPANY W.L.L.

TIEN CHYI INDUSTRIAL COMPANY LTD. Supplier

Manufacturer : QIDONG THUMB TOYS CO.,LTD.

Country of Origin : CHINA Country of Destination : QATAR

Labeled Age Grading : NOT STATED Requested Age Grading : 3 AND UP

Age Group Assessed As Per Age : ALL AGES

Guideline

Age Group Applied in Testing : ALL AGES Sample Receiving Date : FEB 5, 2015 Final Information Date : MAR 3, 2015

**Testing Period** : FEB 5, 2015 TO MAR 3, 2015

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or access at http://www.gs.com/en/Terms-and-Conditions.agx and, for electronic format documents, subject to Terms and Conditions for Electr Documents at http://www.gs.com/en/Terms-and-Conditions/Terms-e-Document.agx. Attention is drawn to the limitation of liab indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon refit the Company's Indings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsition to its Client and this document document earns to be reproduced except in full, without prior written approval of the Company, and obligations under transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, and unauthor distinction of the content or appearance of this document is unlawful and offenders may be prosecuted to the full extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) retained for 30 days only.

enticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8397 1443.

SGS Center, No.143, Zhuzhou Road, Qingdao, China 266101 中国・青岛・株洲路143号通标中心 邮编: 266101

1 (86-532) 68999187 1 (86-532) 80991952



Test Report No.: QDTYR150200063TS Date: MAR 3, 2015 Page 2 of 8

<u>Test Requested</u> <u>Result</u>

For compliance with the European Standard on Safety of Toys :-

EN 71-1:2011+A3:2014 – Safety of toys – Part 1: Mechanical and Physical Properties Pass

Labeling requirement (Washing/Cleaning Label, CE mark, importer / manufacturer mark (name, address), product identification) according to the Directive 2009/48/EC-Safety of toys

See Result Page

EN 71-2:2011+A1:2014 - Safety of toys - Part 2: Flammability

Pass

**Pass** 

EN 71-3:2013 - Safety of toys - Part 3: Migration of certain elements (for scrapped-off

toy material)

SGS-CSTC Standards Technical Services Co., Ltd. Qingdao Branch

Approved by:

Zhou Xinkuan, SK Lab Manager





**Test Report** No.: QDTYR150200063TS Date: MAR 3, 2015 Page 3 of 8

# Results:

## EN 71-1:2011+A3:2014 - SAFETY OF TOYS - PART 1: MECHANICAL AND PHYSICAL PROPERTIES

AS SPECIFIED IN EN 71-1:2011+A3:2014 - SAFETY OF TOYS - PART 1: MECHANICAL AND PHYSICAL **PROPERTIES** 

#### Clauses relevant to the item:

<u>Clause</u>	<b>Descriptio</b>	<u>Result</u>			
4	General requirements				
4.1	Material cleanliness				
4.7	Edges		<u>Pass</u>		
4.8	Points and	d metallic wires	<u>Pass</u>		
5	Toys inter	nded for children under 36 months			
5.1	General re	equirements:			
	5.1a	Small part requirement on toys & removable			
		Components (Test method 8.2)	<u>Pass</u>		
	5.1b	Torque test (Test method 8.3)	<u>Pass</u>		
		Tension test (Test method 8.4)	<u>Pass</u>		
		Drop test (Test method 8.5)	<u>Pass</u>		
		Impact test (Test method 8.7)	<u>Pass</u>		
		Sharp edge (Test method 8.11)	<u>Pass</u>		
		Sharp point (Test method 8.12)	<u>Pass</u>		
5.2	Soft-filled toys and soft-filled parts of a toy				
5.4	Cords, chains and electrical cable in toys				
7	Warnings, markings and instructions for use				
	2009/48/E	ly English warnings were checked for the clause 7. According to EC, warnings and safety instructions shall be written in a language ges easily understood by consumers.)			



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is asked that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excended except in full, without prior written approved of the Company, Any unearthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8397 1443.

SGS Center, No.143, Zhuzhou Road, Qingdao, China 266101 中国·青岛·株洲路143号通标中心 邮编: 266101

t (86-532) 68999187 f (86-532) 80991952



**Test Report** No.: QDTYR150200063TS Date: MAR 3, 2015 Page 4 of 8

### LABELING REQUIREMENT (WASHING/CLEANING INSTRUCTION, CE MARK, IMPORTER / MANUFACTURER NAME AND ADDRESS, PRODUCT IDENTIFICATION) ACCORDING TO THE DIRECTIVE 2009/48/EC - SAFETY OF TOYS

#### Summary table:

	Observation Result	Location
Washing/Cleaning instruction	Present	Toy
CE mark	Present	Toy
Importer's Name & Address	Absent	/
Manufacturer's Name & Address	Absent	/
Product ID	Absent	/

#### Note:

- According to Directive 2009/48/EC, a toy intended for use by children under 36 months must be designed and manufactured in such a way that it can be cleaned. A textile toy must, to this end, be washable, except if it contains a mechanism that may be damaged if soak washed. The manufacturer should, if applicable, provide instructions on how the toy has to be cleaned.
- 2. CE marking should be visible from outside the packaging and its height must be at least 5mm.
- 3. Manufacturer's and Importer's name, registered trade name or registered trade mark and the address at which the manufacturer can be contacted must be indicated on the toy or, where that is not possible, on its packaging or in a document accompanying the toy.
- 4. Manufacturers must ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.

### EN 71-2:2011+A1:2014 - SAFETY OF TOYS - PART 2: FLAMMABILITY

AS SPECIFIED IN EN 71-2:2011+A1:2014 - SAFETY OF TOYS - PART 2: FLAMMABILITY

Clauses relevant to the item:

<u>Clause</u>	<u>Description</u>	<u>Result</u>
4.1	General requirements	<u>Pass</u>
4.5	Soft-filled toys	Pass (See Result)

### Result:

Soft-Filled Toys (clause 4.5)

Sample Burning rate (mm/sec) Teddy bear DNI

(Requirement: The rate of spread of flame on the surface of toy shall be not greater than 30 mm/sec or the toy shall self-extinguish.)

DNI = Did Not Ignite



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or access at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Industrial Conditions of the Company and Conditions of Industrial Conditions of Industrial Company in Industrial Conditions of Industrial Company in Industrial Company is considered in Industrial Company in Industri

SGS Center, No.143, Zhuzhou Road, Qingdao, China 266101 邮编: 266101

e sgs.china@sgs.com



**Test Report** No.: QDTYR150200063TS Date: MAR 3, 2015 Page 5 of 8

## EN 71-3:2013 -SAFETY OF TOYS - PART 3: MIGRATION OF CERTAIN ELEMENTS (FOR SCRAPPED-OFF **TOY MATERIAL)**

Test Method: With reference to EN 71-3:2013, analysis was performed by ICP-OES.

Test Item(s)	<u>Limit</u>	<u>Unit</u>	MDL	<u>001</u>	<u>002</u>	<u>003</u>
Soluble Chromium (VI)	0.2	mg/kg	0.18	ND	ND	ND
Soluble Lead (Pb)	160	mg/kg	10	ND	ND	ND
Soluble Antimony (Sb)	560	mg/kg	10	ND	ND	ND
Soluble Arsenic (As)	47	mg/kg	10	ND	ND	ND
Soluble Barium (Ba)	18750	mg/kg	50	ND	ND	ND
Soluble Cadmium (Cd)	17	mg/kg	5	ND	ND	ND
Soluble Chromium (III) (Cr III)	460	mg/kg	1	ND	ND	ND
Soluble Mercury (Hg)	94	mg/kg	10	ND	ND	ND
Soluble Selenium (Se)	460	mg/kg	10	ND	ND	ND
Soluble Boron (B)	15000	mg/kg	50	ND	ND	ND
Soluble Cobalt (Co)	130	mg/kg	10	ND	ND	ND
Soluble Manganese (Mn)	15000	mg/kg	50	ND	ND	ND
Soluble Strontium (Sr)	56000	mg/kg	50	ND	ND	ND
Soluble Tin (Sn)	180000	mg/kg	4.9	ND	ND	ND
Soluble Zinc (Zn)	46000	mg/kg	50	ND	ND	ND
Soluble Copper (Cu)	7700	mg/kg	50	ND	ND	ND
Soluble Aluminum (AI)	70000	mg/kg	50	ND	ND	ND
Soluble Nickel (Ni)	930	mg/kg	10	ND	ND	ND
Soluble Organic Tin*	12	mg/kg	-	ND	ND	ND
Comment				PASS	PASS	PASS
Test Item(s)	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>004</u>	<u>005</u>	<u>006</u>
Soluble Chromium (VI)	0.2	mg/kg	0.18	ND	ND	ND
Soluble Lead (Pb)	160	mg/kg	10	ND	ND	ND
Soluble Antimony (Sb)	560	mg/kg	10	ND	ND	ND
Soluble Arsenic (As)	47	mg/kg	10	ND	ND	ND
Soluble Barium (Ba)	18750	mg/kg	50	ND	ND	ND
Soluble Cadmium (Cd)	17	mg/kg	5	ND	ND	ND
Soluble Chromium (III) (Cr III)	460	mg/kg	1	ND	ND	ND
Soluble Mercury (Hg)	94	mg/kg	10	ND	ND	ND
Soluble Selenium (Se)	460	mg/kg	10	ND	ND	ND



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/ferms-and-Conditions.aspx and, for electronic format documents, subject to forms and Conditions for Electronic Document as at http://www.sgs.com/en/ferms-and-Conditions/Terms-a-Document.aspx.tention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's Indings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excensible parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior within approved of the Company. Any unextherized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the flaw. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone; (80-755-850 1443,

SGS Center, No.143, Zhuzhou Road, Qingdao, China 266101

邮编: 266101

e sgs.china@sgs.com



<b>Test Report</b>	No.: QDTYR150200063	BTS	Date: M	Date: MAR 3, 2015		Page 6 of 8
Test Item(s)	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>004</u>	<u>005</u>	<u>006</u>
Soluble Boron (B)	15000	mg/kg	50	ND	ND	ND
Soluble Cobalt (Co)	130	mg/kg	10	ND	ND	ND
Soluble Manganese (Mn)	15000	mg/kg	50	ND	ND	ND
Soluble Strontium (Sr)	56000	mg/kg	50	ND	ND	ND
Soluble Tin (Sn)	180000	mg/kg	4.9	ND	ND	ND
Soluble Zinc (Zn)	46000	mg/kg	50	ND	ND	ND
Soluble Copper (Cu)	7700	mg/kg	50	ND	ND	ND
Soluble Aluminum (AI)	70000	mg/kg	50	ND	ND	ND
Soluble Nickel (Ni)	930	mg/kg	10	ND	ND	ND
Soluble Organic Tin*	12	mg/kg	-	ND	ND	ND
Comment				PASS	PASS	PASS
Test Item(s)	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>007</u>	<u>008</u>	<u>010</u>
Soluble Chromium (VI)	0.2	mg/kg	0.18	ND	ND	ND
Soluble Lead (Pb)	160	mg/kg	10	ND	ND	ND
Soluble Antimony (Sb)	560	mg/kg	10	ND	ND	ND
Soluble Arsenic (As)	47	mg/kg	10	ND	ND	ND
Soluble Barium (Ba)	18750	mg/kg	50	ND	ND	ND
Soluble Cadmium (Cd)	17	mg/kg	5	ND	ND	ND
Soluble Chromium (III) (Cr III)	460	mg/kg	1	ND	ND	ND
Soluble Mercury (Hg)	94	mg/kg	10	ND	ND	ND
Soluble Selenium (Se)	460	mg/kg	10	ND	ND	ND
Soluble Boron (B)	15000	mg/kg	50	ND	ND	ND
Soluble Cobalt (Co)	130	mg/kg	10	ND	ND	ND
Soluble Manganese (Mn)	15000	mg/kg	50	ND	ND	ND
Soluble Strontium (Sr)	56000	mg/kg	50	ND	ND	ND
Soluble Tin (Sn)	180000	mg/kg	4.9	ND	ND	ND
Soluble Zinc (Zn)	46000	mg/kg	50	ND	ND	ND
Soluble Copper (Cu)	7700	mg/kg	50	ND	ND	ND
Soluble Aluminum (AI)	70000	mg/kg	50	ND	ND	79
Soluble Nickel (Ni)	930	mg/kg	10	ND	ND	ND
Soluble Organic Tin*	12	mg/kg	-	ND	ND	ND
Comment				PASS	PASS	PASS



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is actived that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from excelling all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approved of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

thenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

SGS Center, No.143, Zhuzhou Road, Qingdao, China 266101

中国・青岛・株洲路143号通标中心 邮編: 266101

t (86-532) 68999187 f (86-532) 80991952

www.agagroup.com.cn e sgs.china@sgs.com



Test Report No.: QDTYR150200063TS Date: MAR 3, 2015 Page 7 of 8

Test Item(s)	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>011</u>
Soluble Chromium (VI)	0.2	mg/kg	0.18	ND
Soluble Lead (Pb)	160	mg/kg	10	ND
Soluble Antimony (Sb)	560	mg/kg	10	ND
Soluble Arsenic (As)	47	mg/kg	10	ND
Soluble Barium (Ba)	18750	mg/kg	50	ND
Soluble Cadmium (Cd)	17	mg/kg	5	ND
Soluble Chromium (III) (Cr III)	460	mg/kg	1	ND
Soluble Mercury (Hg)	94	mg/kg	10	ND
Soluble Selenium (Se)	460	mg/kg	10	ND
Soluble Boron (B)	15000	mg/kg	50	ND
Soluble Cobalt (Co)	130	mg/kg	10	ND
Soluble Manganese (Mn)	15000	mg/kg	50	ND
Soluble Strontium (Sr)	56000	mg/kg	50	ND
Soluble Tin (Sn)	180000	mg/kg	4.9	ND
Soluble Zinc (Zn)	46000	mg/kg	50	ND
Soluble Copper (Cu)	7700	mg/kg	50	ND
Soluble Aluminum (AI)	70000	mg/kg	50	66
Soluble Nickel (Ni)	930	mg/kg	10	ND
Soluble Organic Tin*	12	mg/kg	-	ND
Comment				PASS

# Notes:

- (1) For sample ID 001-008, 010,011,confirmation test of soluble chromium (III) & chromium (VI) is not required in case of soluble chromium does not exceed their requirements as specified in EN71-3: 2013.
- (2) Mass of trace amount of sample ID  $005 = 76.1 \, \text{mg}$ ,  $010 = 13.4 \, \text{mg}$ ,  $011 = 26.8 \, \text{mg}$ .
- (3) \*Confirmation test of soluble organic tin is not required in case of soluble tin, after conversion, does not exceed the soluble organic tin requirement as specified in EN71-3: 2013

### **Test Part Description:**

Specimen No.	SGS Sample ID	Description
SN1	TAO15-004987.001	Transparent plastic(Eyes)
SN2	TAO15-004987.002	Brown plush(Body)
SN3	TAO15-004987.003	Light brown plush(Body)
SN4	TAO15-004987.004	Black thread(Nose& Mouth)
SN5	TAO15-004987.005	White thread(Under mouth)



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/ferms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/ferms-and-Conditions/Terms-a-Document.sgx.teetion is of arraws to the limitation of liability indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of this intervention only and within the limits of Client's interventions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

or email: CN Doccheck@sgs.com

SGS Center, No.143, Zhuzhou Road, Qingdao, China 266101 中国 - 青岛 - 株洲路143号通标中心 邮编: 266101 t (86-532) 68999187 f (86-532) 80991952

e sgs.china@sgs.com



Test Report No.: QDTYR150200063TS Date: MAR 3, 2015 Page 8 of 8

Specimen No.	SGS Sample ID	Description
SN6	TAO15-004987.006	Orange ribbon(Scarf)
SN7	TAO15-004987.007	Brown flannel(Feet)
SN8	TAO15-004987.008	Light brown flannel(Feet)
SN9	TAO15-004987.010	White/black coating on white fabric (Label)
SN10	TAO15-004987.011	White fabric(Label)

#### Remarks:

- (1) 1 mg/kg = 0.0001%
- (2) MDL = Method Detection Limit
- (3) ND = Not Detected ( < MDL)
- (4) "-" = Not Regulated

# Sample Photo:



SGS authenticate the photo on original report only

\*\*\* End of Report \*\*\*



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/ferms-and-Conditions.appx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/ferms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its infervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excensive parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior within approved of the Company. Any uneathforized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the faw. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) \$307 1443, or email: CN Deccheck@ess.com

SGS Center, No.143, Zhuzhou Road, Qingdao, China 266101

t (86-532) 68999187 f (86-532) 80991952

991952 www.sgsgroup.com.cn 991952 e sgs.china@sgs.com